

Display Refrigerator – Amsterdam SERIES

- Advanced forced-air cooling system
- Compressor at bottom, easy access to lower part products
- LED lighting box on the top, customized posters available
- LED lighting on both sides & canopy
- 2-layer LOW-E glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SC-500A



SC-1000A



SC-1500A

MODEL	SC-200A	SC-300A	SC-400A	SC-500A	SC-1000A	SC-1500A
TEMPERATURE (°C)	1-10°C	1-10°C	1-10°C	1-10°C	1-10°C	1-10°C
NET CAPACITY (L)	194	290	326	396	920	1428
GROSS CAPACITY(L)	216	322	362	440	1023	1587
POWER(W)	230	230	230	230	480	580
DOOR	1 glass door	1 glass door	1 glass door	1 glass door	2 glass doors	3 glass doors
SHELVES	4	4	4	4	8	12
NET WEIGHT(KG)	79	55	63.5	78	131	152
EXTERNAL DIMENSIONS (MM)	460*610*1820	580*500*1930	680*550*1935	680*660*1940	1215*730*2020	1830*730*2020
PACKING DIMENSIONS (MM)	500*650*1870	630*550*1980	730*600*1980	730*710*1980	1255*750*2050	1870*750*2050
LOADING QUANTITY (40HQ)	82	80	75	48	27	18

Display Freezer – Amsterdam SERIES

- Advanced forced-air cooling system
- SECOP brand compressor & EBM brand blower
- Compressor at bottom, easy access to lower part products
- LED lighting box on the top, customized posters available
- LED lighting on both sides & canopy
- 3-layer electric heating glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SD-500A



SD-1000A



SD-1500A

MODEL

SD-200A

SD-400A

SD-500A

SD-1000A

SD-1500A

TEMPERATURE (°C)	-25°C	-25°C	-25°C	-25°C	-25°C
NET CAPACITY (L)	194	376	440	859	1346
GROSS CAPACITY(L)	216	420	489	955	1495
POWER(W)	450	560	560	1450	1530
DOOR	1 glass door	1 glass door	1 glass door	2 glass doors	3 glass doors
SHELVES	4	4	4	8	12
NET WEIGHT(KG)	79	130	151	190	240
EXTERNAL DIMENSIONS (MM)	460*610*1820	600*700*2020	680*700*2020	1215*700*2020	1830*700*2020
PACKING DIMENSIONS (MM)	500*650*1870	650*740*2050	720*740*2070	1255*740*2070	1870*740*2070
LOADING QUANTITY (40HQ)	82	54	48	27	18

Display Refrigerator – Barcelona SERIES

- Advanced forced-air cooling system
- Compressor on top, reducing environmental influence to cooling system
- LED lighting box on the top, customized posters available
- LED lighting on both sides & canopy
- 2-layer LOW-E glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SC-1000B



SC-1500B

MODEL	SC-1000B	SC-1500B
TEMPERATURE (°C)	1-10°C	1-10°C
NET CAPACITY (L)	920	1428
GROSS CAPACITY (L)	1023	1587
POWER(W)	480	580
DOOR	2 glass doors	3 glass doors
SHELVES	8	12
NET WEIGHT(KG)	141	162
EXTERNAL DIMENSIONS (MM)	1215*730*2050	1830*730*2050
PACKING DIMENSIONS (MM)	1255*750*2090	1870*750*2090
LOADING QUANTITY (40HQ)	27	18

Display Freezer – Barcelona SERIES

- Advanced forced-air cooling system
- SECOP brand compressor & EBM brand blower
- Compressor on top, reducing environmental influence to cooling system
- Dual compressor independent cooling system
- LED lighting box on the top, customized posters available
- LED lighting on both sides & canopy
- 3-layer electric heating glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SD-1000B



SD-1500B

MODEL	SD-1000B	SD-1500B
TEMPERATURE (°C)	-25°C	-25°C
NET CAPACITY (L)	859	1346
GROSS CAPACITY (L)	955	1495
POWER(W)	1450	1530
DOOR	2 glass doors	3 glass doors
SHELVES	8	12
NET WEIGHT(KG)	190	230
EXTERNAL DIMENSIONS (MM)	1215*700*2050	1830*700*2050
PACKING DIMENSIONS (MM)	1255*740*2080	1870*740*2080
LOADING QUANTITY (40HQ)	27	18

Display Refrigerator – Chicago SERIES

- Advanced forced-air cooling system
- Compressor at bottom, easy access to lower part products
- LED lighting on both sides & canopy
- 2-layer LOW-E glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SC-1500C

MODEL	SC-1000C	SC-1500C
TEMPERATURE (°C)	1-10°C	1-10°C
NET CAPACITY (L)	920	1428
GROSS CAPACITY (L)	1023	1587
POWER(W)	480	570
DOOR	2 glass doors	3 glass doors
SHELVES	8	12
NET WEIGHT(KG)	141	162
EXTERNAL DIMENSIONS (MM)	1215*730*2020	1830*730*2020
PACKING DIMENSIONS (MM)	1255*750*2050	1870*750*2050
LOADING QUANTITY (40HQ)	27	18

Display Freezer – Chicago SERIES

- Advanced forced-air cooling system
- SECOP brand compressor & EBM brand blower
- Dual compressor independent cooling system
- Compressor at bottom, easy access to lower part products
- LED lighting on both sides & canopy
- 3-layer electric heating glass door
- Self-closing door
- Adjustable shelves with number on sleeves
- Lockable casters for easy movement
- Various of color & door handle for choice



SD-1500C

MODEL	SD-1000C	SD-1500C
TEMPERATURE (°C)	-25°C	-25°C
NET CAPACITY (L)	859	1346
GROSS CAPACITY (L)	955	1495
POWER(W)	1450	1530
DOOR	2 glass doors	3 glass doors
SHELVES	10	15
NET WEIGHT(KG)	180	230
EXTERNAL DIMENSIONS (MM)	1215*700*2020	1830*700*2020
PACKING DIMENSIONS (MM)	1255*740*2070	1870*740*2070
LOADING QUANTITY (40HQ)	27	18